


Scalable device communication

The CVS-03 communicates with the following devices via direct cable :RS-232C or LAN and it is scalable to streamline the ECG workflow to support connectivity with Electronic Medical Record (EMR) system. The CVS-03 generates ECG information in PDF, JPEG or PNG data formats.



Kenz®

ECG Data Viewer **CVS-03**

Advanced data management of cardiology information

System Requirements

| | |
|---|--|
| Computer OS | Windows XP(Service Pack 2.0 or higher) or Vista/7/8 |
| Memory | 256MB or higher |
| Hard disk | |
| ■ Minimum requirement for installation | |
| Server client | : 10MB or higher |
| Client | : 4MB or higher |
| ■ Data storage capacity | |
| 12 lead ECG data: | Approx. 3,200 ECG/GB (Compressed data: Approx. 20,000 ECG/GB) |
| Long term ECG data: | Approx. 3,100 ECG/GB (Compressed data: Approx. 10,000 ECG/GB) |

| | |
|---------------|---|
| Display | 1024×768 or greater (mandatory) |
| Printer | 300dpi or higher |
| Data transfer | LAN: TCP/IP: 100BASE/T for Cardico 306, Cardico 601(5.7" color LCD), Cardico 1211 and Cardico PC 1201 RS-232C for Cardico 302 and 1210 USB for Cardico 601(3.8" monochrome LCD) |

Related Products



SUZUKEN COMPANY LIMITED

8 Higashikataha-machi
Higashi-ku, Nagoya
Aichi 461-0015 JAPAN
TEL: +81-52-950-6327 FAX: +81-52-962-7440
<http://www.suzuken-kenz.com>

CAT.No.13017 AS.M.NV3(NS).L



SUZUKEN

